

Office of the Divisional Commissioner, Nashik

Minutes of the meeting in PIL 176/2012 on 29/05/2017

The points discussed in the meeting are as follows :

- (1) Nashik Municipal Corporation : Executive Engineer NMC shall give in brief details regarding,
 - 1) What is the daily consumption (intake) of water to be supplied to citizens of Nashik from various dams and the quantity of sewage generated. The % of the household collection of sewage.
 - 2) what are the capacities of the existing STPs. What type of design and the working of STPs. Is there a separate storage tank(holding area) for the generated sewage.
 - 3) Are the sewage lines and storm water separate or intercepted.
 - 4) the names of villages on the banks of Godavari river and its tributaries on the periphery of the Municipal area and what is the method of collection and the method of sewage collection in these villages.
 - 5) A detail requirement of funds which are required for construction of new STPs, upgradation of the existing STPs and other areas so as to prevent pollution of Godavari river (written statement to be given).
- (2) Chief Executive Officer, Zilla Parishad Nashik :
 - 1) the names of the villages excluding the Municipal limit on the banks of Godavari river & its tributaries till Nandur Madyameshwar.
 - 2) Daily consumption of water in each village.
 - 3) The amount of sewage generated.
 - 4) The method of the sewage collection in these villages(separate letter to be given).
- (3) Estate Manager Artillery centre : The generation of sewage generated in their Military area and the method of collection and its treatment(separate letter to be given).
- (4) Executive Engineer Maharashtra Industrial Development Corporation : MIDC, Nashik utilises 22MLd water from Gangapur dam. What are the arrangement for collection of the affluent(Written statement to be given). The progress of CETP was discussed and they were briefed to complete it before March,2017 as per Hon. High Court's order. A separate letter is to

- be given to District Industries Centre to enquire into the production of affluent and the treatment given by the industries in their Jurisdiction.
- (5) Maharashtra Pollution Control Board : They are to submit a detail report regarding the working of STPs of NMC. Periodic inspections according to their specific Acts. Secondly they should also mention what strenuous effort they have taken to prevent pollution of Godavari river(written statement to be given).
- (6) Land Acquisition Officer, Nashik : The land acquisition proceeding of Pimpalgaon Khamb should to be completed as early as possible.
- (7) Joint Director Town Planning : The Hon. High Court has directed to the State Government to take appropriate decision on the draft development plan of Nashik Municipal Corporation considering the orders of the Hon. High Court and the recommendations of National Environmental Engineering Research Institute
- (8) National Environmental Engineering Research Institute : The problem of foam generated at the discharge of the STPs was discussed and they were requested to give a permanent solution.


Divisional Commissioner
Nashik