

नाशिक महानगरपालिका, नाशिक

ई - कोटेशन नोटीस क्र. ६४

दि. ०१/ ०३/२०२४

निम्नलिखित तपशिलाप्रमाणे नाशिक महानगरपालिका कार्यक्षेत्रात सार्वजनिक आरोग्य विभागातील राष्ट्रीय शहरी आरोग्य अभियानांतर्गत शहरी प्राथमिक आरोग्य केंद्र व शहरी सामुदायिक आरोग्य केंद्र करीता साधने व उपकरणे (SURGICAL INSTRUMENTS & EQUIPMENTS) खरेदी करणे करीता ई-कोटेशन मागविण्यात येत आहे. तरी त्या बाबतचे दर पाकिटातून दि. ०७/ ०३/२०२४ संध्या. ०५.०० वाजे पर्यंत आमचे कार्यालयात कालावधीकरीता सीलबंद कोटेशन मागविण्यात येत आहे.

कोटेशन फॉर्म ऑनलाईन प्रसिध्दीची तारीख : ०१/ ०३/२०२४

कोटेशन अंतिम तारीख : ०७/ ०३ /२०२४

कोटेशन जमा करण्याचे ठिकाण :- कोटेशन फॉर्म पुर्ण भरून सार्वजनिक आरोग्य विभाग, राजीवगांधी भवन येथे कार्यालयीन वेळेत (सकाळी १०.०० ते ५.०० पर्यंत) देण्यात यावे. अपुर्ण कोटेशन स्विकारले जाणार नाहीत. कोटेशन फॉर्म स्विकारण्याचा अथवा नाकारण्याचा हक्क राखून ठेवण्यात येत आहे.

Sd/-

(डॉ. तानाजी चव्हाण)
वैद्यकिय (आरोग्य) अधिकारी,
नाशिक महानगरपालिका, नाशिक

ई-कोटेशन क्र. 64 सूचना

राष्ट्रीय नागरी आरोग्य अभियान, सार्वजनिक आरोग्य विभाग,
नाशिक महानगरपालिका, नाशिक.

राष्ट्रीय शहरी आरोग्य अभियान, सार्वजनिक आरोग्य विभाग, राजीव गांधी भवन, नाशिक महानगरपालिका, नाशिक मार्फत सार्वजनिक आरोग्य शहरी प्राथमिक आरोग्य केंद्र व रुग्णालय करीता साधने व उपकरणे (SURGICAL INSTRUMENTS & EQUIPMENTS) खरेदी करणेकामी ई-कोटेशन (Quotation) मागविणेत येत आहे.

तरी, अधिक तपशिल व ई-कोटेशन भरणेकामी www.nmc.gov.in या संकेतस्थळावर भेट द्यावी. ई-कोटेशन अंतिम दि. 07 /03/2024 वेळ 5:00 सायंकाळी पर्यंत असून त्यापूर्वी राष्ट्रीय नागरी आरोग्य अभियान कक्ष, सार्वजनिक आरोग्य विभाग, 3 रा मजला, राजीव गांधी भवन, शरणपूर रोड, नाशिक येथे सीलबंद कोटेशन सादर करावे."

Sd/-

(डॉ. तानाजी चव्हाण)

वैद्यकिय (आरोग्य) अधिकारी

नाशिक महानगरपालिका, नाशिक



नाशिक महानगरपालिका, नाशिक

ई कोटेशन फॉर्म

| 1. SPECIFICATION OF HAND HOLDING FETAL DOPPLER |
|---|
| Main Technology Specifications |
| WORKING FREQUENCY : 2.0 MHZ+10% |
| ULTRASONIC OUTPUT POWER :10b<10W/cm2 |
| OVERALL SENSITIVITY |
| WHILE MEASURING INTEGRATED SENSITIVITY USING THE DOPLLER FREQUEN :(300+50)Hz |
| REFLECTING TARGET SPEED 10cm/s 40cm/s |
| FHR ACCURACY : 2bpm |
| FHR MEASRING RANGE NOT NARROWER THAN 50bpm-24bm (+ b.p.m) beat per minute |

| 2.SPECIFICATION OF DELIVERY BED HYDRAULIC |
|---|
| Overall Size : 1880L x900W x 600-800H mm |
| Tubular frame work mounted on 125mm dia--castor two with brakes |
| Three Section top made of MS Pipe with fixed Cushioned mattress |
| Trendlenburg / Reverse Trendlenburg Position ,Back section adjustment through manually. |
| Height adjustment through Hydraulic Pump |
| Leg end section can slide under up holstrey lithotomy position |
| SS telescopic IV Rod |
| Detachable SS Tray |
| 5-yrs guarantee Replacement of Hydraulic pump |

| 3. SPECIFICATION OF LABOUR TABLE HYDRAULIC PUMP OPERATED |
|--|
| APPROX. DIMENSIONS: 72" Lx 27"W x 24"- 32"H. |
| TUBULAR FRAME WORK MOUNTED ON SWIVELING CASTORS. |
| STAINLESS STEEL TOP IN THREE SECTIONS. |
| TRENDLENDURG POSTIONS ADJUSTABLE BY PNEUMATIC GAS SPRING SYSTEM. |
| HYDRAULICALLY HEIGHT ADJUSTABLE BY FOOT PADDLE FROM SIDE. |
| BACKREST SECTION ADJUSTABLE ON RATCHET. |
| LEG END SECTION CAN SLIDE UNDER THE MAIN SECTION. |
| A PAIR OF KNEE CRUTCHES WITH HEIGHT ADJUSTABLE. |
| FINISH: PRE TREATED & EPOXY POWDER COATED. |

| 4.SPECIFICATIONOT TALE GYNACOLOGY (SEMI -AUTOMATIC) |
|---|
| TABLE SHOULD BE SEMI AUTOMATED ONLY UP AND DOWN POSITION OPERATED WITH REMOTE AND REST ALL POSITIONS BY MENSUAL OPERATIONS. |
| TECHNICAL SPECIFICATION |
| TABLE TOP : 1900 mm x 520 mm |
| MINIMUM HEIGHT (WITHOUT MATTRESS) : 750mm |
| MAXIMUM HEIGHT (WITHOUT MATTRESS) : 1000mm |
| TRENDLENDBURG: 25" |
| REVERSE TRENDLENDBURG 25" |
| BACK SECTION : 60" UP |
| HEAD SECTION : 60" DOWN |
| LEG SECTION : 0"- 90" |
| FLOOR LOCK SYSTEM |
| WEIGHT 200 kg |
| STANDARD ACCESSORIES |
| ANESTHETIC SCREEN - 1Pc |
| LATERAL SUPPORT WITH PAD 2Pcs |
| SHOULDER SUPPORT WITH PAD2Pcs |
| ARM BOARDS WITH PAD 2Pcs |
| KNEE CRUTCHES 2 Pcs |

| 5. SPECIFICATION OF 5 PARA NON - TOUCH MULTIPARA NIBP MONITOR |
|---|
| PRODUCT FEATURES : |

| |
|--|
| ECG RESP,NIBP,SPO2,TEMP,PR/HR |
| 12.1" High resolution color TFT LCD Display |
| Up to 4 hours working capacity of built in rechargeable battery. |
| Anti -ESU, anti-defibrillator |
| Large volume of tabular and graphic trends information storage and easy to recall Arrhythmic Analysis Multi Lead |
| ECG Waveforms Display in phase Real time ST segment analysis pacemaker detection Drug calculation and titration table. |
| Suitable for adult .Pediatric and neonatal patient |
| Optional : EtCO2,IBP,Printer CMS and VGA |
| 1 Year Warranty ISO Certified. |

| |
|---|
| 6. SPECIFICATION OF LAUNDRY TROLLEY |
| LINEN CHANGE TROLLEY |
| MS TUBULAR FRAME MOUNTED ON 10 cm DIACASTORS. |
| THREE SHELVES MADE OF MS SHEET.SÉ |
| A CANVAS BAG FITTED ON FRONT SIDE. |
| EPOXY POWDER COATED FINISH. |

| |
|---|
| 7.SPECIFICATION OF SURGICAL INSTRUMENT CABINATE |
| SHAPE : RECTANGLE |
| FEATURE: ATTRACTIVE PACKAGING, BIODEGRADABLE |
| MATERIAL: MS POWDER COATED |
| APPLICATION: INSTRUMENTS SAFETY |
| PATTERN: PLAIN WITH DOUBLE DOOR MADE UP OF GLASS GUARDED WITH MS POWDER COATED MATERIAL BARS. |
| DIMENSION: 5 SHELVES WITH DIMENSION OF 36" width X 14" BREADTH X 78" Height |
| WITH 1 YREAR WARRENTY AND ISO 9001 CERTIFIED |

| |
|---|
| 8.SPECIFICATION OF PUNCTURE PROOF CONTAINER |
| USAGE : HOSPITAL (CLINICAL) |
| COLOUR : BLUE -1 & WHITE -1 |
| CAPACITY : 5litre and 10 litre |
| DESIGN : STANDARD SHAPE : RECTANGULAR BOX. CAPACITY 1000 |
| MATERIAL : HIGH DENSITY POLYPROPYLENE PLASTIC,LEAK PROOF & RUST PROOF |
| DIMENSION: L x b x H In cm [5 Litre Container Dimensions: 25 x 20x 20 cm.]. DIMENSION WXB in cm [10Litre Container Dimensions: 18.5cmx 28cm]. |
| BIO HAZARD SYMBOL PASTED ON CONTAINER. |
| CE ISO 23907 CERTIFIED |

| |
|--|
| 9.SPECIFICATION OF HUB NEEDLE CUTTER |
| PRODUCT DESCRIPTION =LEXBAX SYRINGES HUB DESTROYER INJECTION CUTTER WITH HANDLE PRESS DESTROYS SYRINGE HUB AND NEEDLE IN SINGLE PRESS ACTION . |
| REUSABLE AND AUTOCLAVABLE CONTAINER. |
| STANLESS STEEL MATERIAL USED FOR FRAME, |
| CAPACITY = 5 litre. |
| EASY TO CHANGE SHARP CONTAINER ISO CERTIFIED. |

| |
|--|
| 10. SPECIFICATION OF DIGITAL WALL CLOCK |
| BRAND AJANTA QUARTZ MODERN STYLE |
| COLOUR GREEN |
| DISPLAY TYPE DIGITAL |
| SPECAL FEATURE TEMPERATURE DISPLAY. CALENDAR DISPLAY |
| PRODUCT DIMENSIONS 35W X25 WH MILLIMETERS |
| POWER SOURCE CORDED ELECTRIC BATTERY POWERED |
| SHAPE SQUARE |
| INDOOR/OUTDOOR USAGE INDOOR |
| METERIALGLASS |
| FRAME METERIAL PLASTIC |
| ITEM WEIGHT 850 GRAMS |
| NUMBER OF BATTERIES 2 AA BATTERIES REQUIRED (INCLUDED) |
| OPERATION MODE ELECTRICAL |

| 11. SPECIFICATION OF HORIZONTAL AUTOCLAVE MACHINE | |
|---|----------------------------|
| CHAMBER VOLUME | 150L -160LITRE |
| MATERIAL | : STAINLESS STEEL |
| SHAPE | : HORIZONTAL |
| MOUNT TYPE | : FLOOR MOUNTED AUTOCLAVE |
| CHAMBER DIMENSIONS: | 440 x 100 mm |
| STERILIZATION TIME: | 0-60 min |
| HEAT AVERAGE | : GREATER THAN =-1 1 deg C |
| WORKING PRESUURE | : 022MPa |
| ADJUSTMENT OF TEMPRATURE | : 105deg C -134 deg C |
| POWER SUPPLY | 380v , 50Hz |
| OVERALL DIMENSION | : 1400x600 x 1300mm |
| WEIGHT | : 240-320Kg |
| TIME OF DRYING | : 0-60min. |
| ISO CERTIFIED | |

| 12. SPECIFICATION OF PATIENT SHIFTING ROLLER | | |
|--|---------------|----------------------------------|
| TYPE : MANUAL | WEIGHT : 4 Kg | SIZE : 16 inch x24 inch |
| FRAME MATERIAL : SS / ALLUMINIUM | | SHAPE : RECTANGULAR COLOUR :BLUE |
| LOAD CARRYING CAPACITY | 150 Kg. | |

| SR.NO | SPECIFICATION OF SURGICAL INSTRUMENTS . | | |
|-------|---|----|---|
| | ALL SURGICAL INSTRUMENTS ARE MADE UP OF STAINLESS STEEL MATT FINISHING ,NON EASY TO USE. SHOULD BE CE & ISO CORRROSIVE AND CERTIFIED. | | |
| 1 | ALLIS FORCEPS 6" | 32 | INSTRUMENT HANGER STANDARD SIZE |
| 2 | ALLIS FORCEPS 8" | 33 | KOTCHER FORCEPS STRAIGHT 8" |
| 3 | ARTERY FORCEPS CURVED 6" | 34 | MAINGOT CLAMP 8" CURVED |
| 4 | ARTERY FORCEPS CURVED 8" | 35 | MAYO"S SCISSORS STRAIGHT 6.5 " |
| 5 | ARTERY FORCEPS STRAIGHT 6" | 36 | MAYO"S SCISSORS STRAIGHT 7.5 " |
| 6 | ARTERY FORCEPS STRAIGHT 8" | 37 | METZNBAUM SCISSOR 6" CURVED |
| 7 | Babcock 6" | 38 | MOSQUITO CU. FORCEPS 5" |
| 8 | BABY CARRYING RAY | 39 | MTP CANULA |
| 9 | BIDDER HOLDER 8" | 40 | MTP SET |
| 10 | BLADDER RETRACTOR | 41 | MVA CANULA |
| 11 | C- ARM RETRACTOR | 42 | MVA SYRINGE |
| 12 | C SHAPED RETRACTORS (SET OF 3) | 43 | NEEDLE HOLDERS 8" |
| 13 | CORD CUTTING SCISSOR 8 " | 44 | OUTLET FORCEPS |
| 14 | CORD CUTTING SCISSOR 6" | 45 | PLAIN FORCEPS 6" |
| 15 | CUSCUS SPECULUM | 46 | RIGHT ANGLE RETRACTOR 1CM BIRTH |
| 16 | DEAVER'S RETRACTOR MEDIUM SIZE 12"x 1 .5" | 47 | S.S KIDNEY TRAY 10" MEDIUM SIZE |
| 17 | DEAVER'S RETRACTOR MEDIUM SIZE 12"x 2" | 48 | SILICON VACCUM CUP SPEACIAL MEDIUM SIZE |
| 18 | DEAVER'S RETRACTOR SMALL SIZE 12"x1" | 49 | SIM'S SPECULUM DOUBLE ENDED LARGE NO.3 |

| | | | |
|----|-----------------------------------|----|---|
| 19 | DISSECTING FORCEPS PLAIN 6" | 50 | SIM'S SPECULUM DOUBLE ENDED MEDIUM NO.2 |
| 20 | DISSECTING FORCEPS PLAIN 8" | 51 | SUCTION CANULA YANKAUR'S |
| 21 | DISSECTING FORCEPS TOOTH 6" | 52 | SUTURE NEEDLE 1/2 CIRCLE CUTTING (TRIANGULAR) |
| 22 | DISSECTING FORCEPS TOOTH 8" | 53 | SUTURE NEEDLE 1/2 CIRCLE ROUND BODY |
| 23 | DOYEN'S RETRACTOR LARGE SIZE 2.5" | 54 | TAILORS SCISSOR 10" |
| 24 | DOYEN'S RETRACTOR LARGE SIZE 3" | 55 | TAILORS SCISSOR 8" |
| 25 | DRESSNNG DRUM LARGE 15" x 12" | 56 | TOWEL CLIP |
| 26 | DRESSNNG DRUM MEDIUM 11" x 09" | 57 | UTERINE BALLOON TAMPONADE KIT |
| 27 | DRESSNNG DRUM SMALL 09" x 05" | 58 | UTERINE SOUND |
| 28 | EPIDURAL SET STANDARD SIZE | 59 | GOLDEN HANDLE NEEDLE HOLDER REGULAR 6" |
| 29 | EPISIOTOMY SCISSOR'S SPECIAL | 60 | GOLDEN HANDLE NEEDLE NEEDL HOLDER REGULAR 8" |
| 30 | FEMALE METAL CATHETER | 61 | HEGARS DIALATOR CANULA |
| 31 | HISTERCTOMY CLAMP | | |

| SR. NO. | SURGICAL INSTRUMENTNS & EQUIPMENTS | APPROXIMATE QUANTITY | RATE PER UNITE IN RS. | TOTAL INCLUDING GST & TRANSPORTATION AMOUNT IN RS. |
|---------|--|----------------------|-----------------------|--|
| 1 | ALLIS FORCEPS 6" | 78 | | |
| 2 | ALLIS FORCEPS 8" | 72 | | |
| 3 | ARTERY FORCEPS CURVED 6" | 100 | | |
| 4 | ARTERY FORCEPS CURVED 8" | 61 | | |
| 5 | ARTERY FORCEPS STRAIGHT 6" | 100 | | |
| 6 | ARTERY FORCEPS STRAIGHT 8" | 90 | | |
| 7 | Babcock 6" | 40 | | |
| 8 | BABY CARRYING TRAY | 10 | | |
| 9 | BIDDER HOLDER 8" | 30 | | |
| 10 | BLADDER RETRACTOR | 19 | | |
| 11 | C- ARM RETRACTOR | 34 | | |
| 12 | C SHAPED RETRACTORS (SET OF 3) | 18 | | |
| 13 | CORD CUTTING SCISSOR 8 " | 20 | | |
| 14 | CORD CUTTING SCISSOR 6" | 20 | | |
| 15 | CUSCUS SPECULUM | 33 | | |
| 16 | DEAVER'S RETRACTOR MEDIUM SIZE 12"x 1.5" | 10 | | |
| 17 | DEAVER'S RETRACTOR MEDIUM SIZE 12"x 2" | 10 | | |

| | | | | |
|----|--|-----|--|--|
| 18 | DEAVER'S RETRACTOR SMALL SIZE 12"x1" | 30 | | |
| 19 | DISSECTING FORCEPS PLAIN 6" | 42 | | |
| 20 | DISSECTING FORCEPS PLAIN 8" | 22 | | |
| 21 | DISSECTING FORCEPS TOOTH 6" | 42 | | |
| 22 | DISSECTING FORCEPS TOOTH 8" | 38 | | |
| 23 | DOYEN'S RETRACTOR LARGE SIZE 2.5" | 16 | | |
| 24 | DOYEN'S RETRACTOR LARGE SIZE 3" | 20 | | |
| 25 | DRESSNNG DRUM LARGE 15" x 12" | 20 | | |
| 26 | DRESSNNG DRUM MEDIUM 11" x 09" | 20 | | |
| 27 | DRESSNNG DRUM SMALL 09" x 05" | 20 | | |
| 28 | EPIDURAL SET STANDARD SIZE | 15 | | |
| 29 | EPISIOTOMY SCISSOR'S SPECIAL | 50 | | |
| 30 | FEMALE METAL CATHETER | 10 | | |
| 31 | GOLDEN HANDLE NEEDLE HOLDER REGULAR 6" | 50 | | |
| 32 | GOLDEN HANDLE NEEDLE NEEDL HOLDER REGULAR 8" | 50 | | |
| 33 | HEGARS DIALATOR CANULA | 12 | | |
| 34 | HISTERCTOMY CLAMP | 12 | | |
| 35 | INSTRUMENT HANGER STANDARD SIZE | 25 | | |
| 36 | KOTCHER FORCEPS STRAIGHT 8" | 20 | | |
| 37 | MAINGOT CLAMP 8" CURVED | 20 | | |
| 38 | MAYO'S SCISSORS STRAIGHT 6.5 " | 20 | | |
| 39 | MAYO'S SCISSORS STRAIGHT 7.5 " | 20 | | |
| 40 | METZNBAUM SCISSOR 6" CURVED | 100 | | |
| 41 | MOSQUITO CU. FORCEPS 5" | 50 | | |
| 42 | MTP CANULA | 35 | | |
| 43 | MTP SET | 8 | | |
| 44 | MVA CANULA | 20 | | |
| 45 | MVA SYRINGE | 20 | | |
| 46 | NEEDLE HOLDERS 8" | 40 | | |
| 47 | OUTLET FORCEPS | 13 | | |
| 48 | PLAIN FORCEPS 6" | 40 | | |
| 49 | RIGHT ANGLE RETRACTOR 1CM BIRTH | 32 | | |
| 50 | S.S KIDNEY TRAY 10" MEDIUM SIZE | 37 | | |

| | | | | |
|----|---|-----|--|--|
| 51 | SILICON VACCUM CUP SPEACIAL MEDIUM SIZE | 11 | | |
| 52 | SIM'S SPECULUM DOUBLE ENDED LARGE NO.3 | 30 | | |
| 53 | SIM'S SPECULUM DOUBLE ENDED MEDIUM NO.2 | 30 | | |
| 54 | SUCTION CANULA YANKAUR'S | 20 | | |
| 55 | SUTURE NEEDLE 1/2 CIRCLE CUTTING (TRIANGULAR) | 44 | | |
| 56 | SUTURE NEEDLE 1/2 CIRCLE ROUND BODY | 30 | | |
| 57 | TAILORS SCISSOR 10" | 40 | | |
| 58 | TAILORS SCISSOR 8" | 40 | | |
| 59 | TOWEL CLIP | 100 | | |
| 60 | UTERINE BALLOON TAMPONADE KIT | 50 | | |
| 61 | UTERINE SOUND | 20 | | |
| 62 | HAND HOLDING FETAL DOPPLER | 8 | | |
| 63 | DELIVERY BED HYDRAULIC | 4 | | |
| 64 | LABOUR TABLE HYDRAULIC PUMP OPERATED | 5 | | |
| 65 | OT TABLE GYNACOLOGY (SEMI -AUTOMATIC | 4 | | |
| 66 | 5 PARA NON - TOUCH MULTIPARA NIBP MONITOR | 6 | | |
| 67 | LAUNDARY TROLLY | 5 | | |
| 68 | SURGICAL INSTRUMENT CABINATE | 5 | | |
| 69 | PUNCTURE PROOF CONTAINER | 20 | | |
| 70 | HUB NEEDLE CUTTER | 20 | | |
| 71 | DIGITAL WALL CLOCK | 12 | | |
| 72 | HORIZONTAL AUTOCLAVE MACHINE | 2 | | |
| 73 | PATIENT SHIFTING ROLLER | 12 | | |

अटी/शत

- १) (विक्री कर, जी.एस.टी. व अन्य कर याबाबत कोटेशन मध्ये स्पष्ट खुलासा करावा.) उपरोक्त ई- दरपत्रक दि. ०७/०३/२०२४ सांयकाळी ५ वा. रोजी एनयुएचएम कक्ष, सार्वजनिक आरोग्य विभाग, राजीव गांधी भवन, शरणपुर रोड, नाशिक महानगरपालिका, नाशिक येथे उघडण्यात येईल.
- २) वरील कामाचे कोटेशन पत्रक (अटी शर्ती सह) www.nmc.gov.in या संकेत स्थळावर उपलब्ध आहे.
- ३) कोटेशन पाकिट सादरीकरणाची अंतिम मुदत दिनांक ०७ /०३/२०२४ रोजी संध्या. ५.०० वाजेर्पत राहिल. मुदतीनंतर प्राप्त झालेले कोटेशन पाकिट स्विकारले जाणार नाही.
- ४) सदरचे दरपत्रकात सर्व करासह दर नमुद करावयाचे आहेत. कोणत्याही कराची जबाबदारी नाशिक महानगरपालिकेवर राहणार नाही.
- ५) सदर पुरवठादारास वस्तु कोटेशन मध्ये दिलेल्या तपशिलानुसार ७ दिवसाच्या आत तपोवन स्टोअर, जनार्दन स्वामी आश्रम जवळ औरंगाबाद रोड नाशिक येथे सुस्थितीत पोचविणेत यावा.
- ६) पुरवठादारास माल पुरविल्यानंतर मालाची खात्री झाल्यानंतर देय PFMS द्वारे ऑनलाईन पध्दतीने पुरविलेल्या बँक खात्यात वर्ग करणेत येईल.

- ७) कोणतेही कोटेशन स्विकारणे अगर नाकारण्याचा व दिलेल्या संख्येत कमी व जास्त करणेचा अधिकार निम्नस्वाक्षरीकार यांचा राहिल
- ८) शासनाचे उपलब्ध निधी मर्यादित राहुन कोटेशन मध्ये नमुद केलेली संख्येत कमी जास्त करणेचा अधिकार वैद्यकिय आरोग्य अधिकारी यांची राहिल.

Sd/-

(डॉ.तानाजी चव्हाण)

वैद्यकिय (आरोग्य) अधिकारी

नाशिक महानगरपालिका, नाशिक

On letter Head

उपरोक्तप्रमाणे कामाचे अटीशर्ती व स्पेशिफिकेशननुसार नाशिक महानगरपालिका, नाशिक सार्वजनिक आरोग्य विभाग राष्ट्रीय आरोग्य अभियान अंतर्गत रुग्णालयात साधने व उपकरणे (SURGICAL INSTRUMENTS & EQUIPMENTS) खरेदी करणे करीता मी/आम्ही पुढील प्रमाणे सर्व करांसह दर सादर करीत आहोत.

| 1. SPECIFICATION OF HAND HOLDING FETAL DOPPLER |
|---|
| Main Technology Specifications |
| WORKING FREQUENCY : 2.0 MHZ+10% |
| ULTRASONIC OUTPUT POWER :10b<10W/cm2 |
| OVERALL SENSITIVITY |
| WHILE MEASURING INTEGRATED SENSITIVITY USING THE DOPPLER FREQUEN :(300+50)Hz |
| REFLECTING TARGET SPEED 10cm/s 40cm/s |
| FHR ACCURACY : 2bpm |
| FHR MEASRING RANGE NOT NARROWER THAN 50bpm-24bm (+ b.p.m) beat per minute |

| 2. SPECIFICATION OF DELIVERY BED HYDRAULIC |
|---|
| Overall Size : 1880L x900W x 600-800H mm |
| Tubular frame work mounted on 125mm dia--castor two with brakes |
| Three Section top made of MS Pipe with fixed Cushioned mattress |
| Trendlenburg / Reverse Trendlenburg Position ,Back section adjustment through manually. |
| Height adjustment through Hydraulic Pump |
| Leg end section can slide under up holstrey lithotomy position |
| SS telescopic IV Rod |
| Detachable SS Tray |
| 5-yrs guarantee Replacement of Hydraulic pump |

| 3. SPECIFICATION OF LABOUR TABLE HYDRAULIC PUMP OPERATED |
|--|
| APPROX. DIMENSIONS: 72" Lx 27"W x 24"- 32"H. |
| TUBULAR FRAME WORK MOUNTED ON SWIVELING CASTORS. |
| STAINLESS STEEL TOP IN THREE SECTIONS. |
| TRENDELNBURG POSTIONS ADJUSTABLE BY PNEUMATIC GAS SPRING SYSTEM. |
| HYDRAULICALLY HEIGHT ADJUSTABLE BY FOOT PADDLE FROM SIDE. |
| BACKREST SECTION ADJUSTABLE ON RATCHET. |
| LEG END SECTION CAN SLIDE UNDER THE MAIN SECTION. |
| A PAIR OF KNEE CRUTCHES WITH HEIGHT ADJUSTABLE. |
| FINISH: PRE TREATED & EPOXY POWDER COATED. |

| 4.SPECIFICATIONOT TALE GYNACOLOGY (SEMI -AUTOMATIC) |
|---|
| TABLE SHOULD BE SEMI AUTOMATED ONLY UP AND DOWN POSITION OPERATED WITH REMOTE AND REST ALL POSITIONS BY MENCUAL OPERATIONS. |
| TECHNICAL SPECIFICATION |
| TABLE TOP : 1900 mm x 520 mm |
| MINIMUM HEIGHT (WITHOUT MATTRESS) : 750mm |
| MAXIMUM HEIGHT (WITHOUT MATTRESS) : 1000mm |
| TRENDELNBURG: 25" |
| REVERSE TRENDELNBURG 25" |
| BACK SECTION : 60" UP |
| HEAD SECTION : 60" DOWN |
| LEG SECTION : 0"- 90" |
| FLOOR LOCK SYSTEM |
| WEIGHT 200 kg |
| STANDARD ACCESSORIES |
| ANESTHETIC SCREEN - 1Pc |
| LATERAL SUPPORT WITH PAD 2Pcs |
| SHOULDER SUPPORT WITH PAD2Pcs |
| ARM BOARDS WITH PAD 2Pcs |

KNEE CRUTCHES 2 Pcs

5. SPECIFICATION OF 5 PARA NON - TOUCH MULTIPARA NIBP MONITOR

PRODUCT FEATURES :

ECG RESP,NIBP,SPO2,TEMP,PR/HR

12.1" High resolution color TFT LCD Display

Up to 4 hours working capacity of built in rechargeable battery.

Anti -ESU, anti-defibrillator

Large volume of tabular and graphic trends information storage and easy to recall Arrhythmic Analysis Multi Lead

ECG Waveforms Display in phase Real time ST segment analysis pacemaker detection Drug calculation and titration table.

Suitable for adult .Pediatric and neonatal patient

Optional : EtCO2,IBP,Printer CMS and VGA

1 Year Warranty ISO Certified.

6. SPECIFICATION OF LAUNDRY TROLLEY

LINEN CHANGE TROLLEY

MS TUBULAR FRAME MOUNTED ON 10 cm DIACASTORS.

THREE SHELVES MADE OF MS SHEET.SÉ

A CANVAS BAG FITTED ON FRONT SIDE.

EPOXY POWDER COATED FINISH.

7.SPECIFICATION OF SURGICAL INSTRUMENT CABINATE

SHAPE : RECTANGLE

FEATURE: ATTRACTIVE PACKAGING, BIODEGRADABLE

MATERIAL: MS POWDER COATED

APPLICATION: INSTRUMENTS SAFETY

PATTERN: PLAIN WITH DOUBLE DOOR MADE UP OF GLASS GUARDED WITH MS POWDER COATED MATERIAL BARS.

DIMENSION: 5 SHELVES WITH DIMENSION OF 36" width X 14" BREADTH X 78" Height

WITH 1 YREAR WARRENTY AND ISO 9001 CERTIFIED

8.SPECIFICATION OF PUNCTURE PROOF CONTAINER

USAGE : HOSPITAL (CLINICAL)

COLOUR : BLUE -1 & WHITE -1

CAPACITY : 5Litre and 10 litre

DESIGN : STANDARD SHAPE : RECTANGULAR BOX. CAPACITY 1000

MATERIAL : HIGH DENSITY POLYPROPYLENE PLASTIC,LEAK PROOF & RUST PROOF

DIMENSION: L x b x H In cm [5 Litre Container Dimensions: 25 x 20x 20 cm.].
DIMENSION WXB in cm [10Litre Container Dimensions: 18.5cmx 28cm].

BIO HAZARD SYMBOL PASTED ON CONTAINER.

CE ISO 23907 CERTIFIED

9.SPECIFICATION OF HUB NEEDLE CUTTER

PRODUCT DESCRIPTION =LEXBAX SYRINGES HUB DESTROYER INJECTION CUTTER WITH HANDLE PRESS DESTROYS SYRINGE HUB AND NEEDLE IN SINGLE PRESS ACTION .

REUSABLE AND AUTOCLAVABLE CONTINER.

STANLESS STEEL MATERIAL USED FOR FRAME,

CAPACITY = 5 litre.

EASY TO CHANGE SHARP CONTAINER ISO CERTIFIED.

10. SPECIFICATION OF DIGITAL WALL CLOCK

BRAND AJANTA QUARTZ MODERN STYLE

COLOUR GREEN

DISPLAY TYPE DIGITAL

SPECAL FEATURE TEMPERATURE DISPLAY. CALENDAR DISPLAY

PRODUCT DIMENSIONS 35W X25 WH MILLIMETERS

POWER SOURCE CORDED ELECTRIC BATTERY POWERED

SHAPE SQUARE

INDOOR/OUTDOOR USAGE INDOOR

| |
|--|
| METERIALGLASS |
| FRAME METERIAL PLASTIC |
| ITEM WEIGHT 850 GRAMS |
| NUMBER OF BATTERIES 2 AA BATTERIES REQUIRED (INCLUDED) |
| OPERATION MODE ELECTRICAL |

| |
|--|
| 11.SPECIFICATION OF HORIZONTAL AUTOCLAVE MACHINE |
| CHAMBER VOLUME 150L -160LITRE |
| MATERIAL : STAINLESS STEEL |
| SHAPE : HORIZONTAL |
| MOUNT TYPE : FLOOR MOUNTED AUTOCLAVE |
| CHAMBER DIMENSIONS: 440 x 100 mm |
| STERILIZATION TIME: 0-60 min |
| HEAT AVERAGE : GREATER THAN =-1 1 deg C |
| WORKING PRESUURE : 022MPa |
| ADJUSTMENT OF TEMPRATURE : 105deg C -134 deg C |
| POWER SUPPLY 380v , 50Hz |
| OVERALL DIMENSION : 1400x600 x 1300mm |
| WEIGHT : 240-320Kg |
| TIME OF DRYING : 0-60min. |
| ISO CERTIFIED |

| | |
|--|-------------------------------------|
| 12. SPECIFICATION OF PATIENT SHIFTING ROLLER | |
| TYPE : MANUAL WEIGHT : 4 Kg | SIZE : 16 inch x24 inch |
| FRAME MATERIAL : SS / ALLUMINIUM | SHAPE : RECTANGULAR COLOUR :BLUE |
| LOAD CARRYING CAPACITY 150 Kg. | |

| | | | |
|-------|---|----|---------------------------------|
| SR.NO | SPECIFICATION OF SURGICAL INSTRUMENTS . ALL SURGICAL INSTRUMENTS ARE MADE UP OF STAINLESS STEEL MATT FINISHING ,NON EASY TO USE. SHOULD BE CE & ISO CORRHOSIVE AND CERTIFIED. | | |
| 1 | ALLIS FORCEPS 6" | 32 | INSTRUMENT HANGER STANDARD SIZE |
| 2 | ALLIS FORCEPS 8" | 33 | KOTCHER FORCEPS STRAIGHT 8" |
| 3 | ARTERY FORCEPS CURVED 6" | 34 | MAINGOT CLAMP 8" CURVED |
| 4 | ARTERY FORCEPS CURVED 8" | 35 | MAYO"S SCISSORS STRAIGHT 6.5 " |
| 5 | ARTERY FORCEPS STRAIGHT 6" | 36 | MAYO"S SCISSORS STRAIGHT 7.5 " |
| 6 | ARTERY FORCEPS STRAIGHT 8" | 37 | METZNBAUM SCISSOR 6" CURVED |
| 7 | Babcock 6" | 38 | MOSQUITO CU. FORCEPS 5" |
| 8 | BABY CARRYING RAY | 39 | MTP CANULA |
| 9 | BIDDER HOLDER 8" | 40 | MTP SET |
| 10 | BLADDER RETRACTOR | 41 | MVA CANULA |
| 11 | C- ARM RETRACTOR | 42 | MVA SYRINGE |
| 12 | C SHAPED RETRACTORS (SET OF 3) | 43 | NEEDLE HOLDERS 8" |
| 13 | CORD CUTTING SCISSOR 8 " | 44 | OUTLET FORCEPS |
| 14 | CORD CUTTING SCISSOR 6" | 45 | PLAIN FORCEPS 6" |
| 15 | CUSCUS SPECULUM | 46 | RIGHT ANGLE RETRACTOR 1CM BIRTH |

| | | | |
|----|--|----|---|
| 16 | DEAVER'S RETRACTOR MEDIUM SIZE 12"x 1.5" | 47 | S.S KIDNEY TRAY 10" MEDIUM SIZE |
| 17 | DEAVER'S RETRACTOR MEDIUM SIZE 12"x 2" | 48 | SILICON VACCUM CUP SPEACIAL MEDIUM SIZE |
| 18 | DEAVER'S RETRACTOR SMALL SIZE 12"x1" | 49 | SIM'S SPECULUM DOUBLE ENDED LARGE NO.3 |
| 19 | DISSECTING FORCEPS PLAIN 6" | 50 | SIM'S SPECULUM DOUBLE ENDED MEDIUM NO.2 |
| 20 | DISSECTING FORCEPS PLAIN 8" | 51 | SUCTION CANULA YANKAUR'S |
| 21 | DISSECTING FORCEPS TOOTH 6" | 52 | SUTURE NEEDLE 1/2 CIRCLE CUTTING (TRIANGULAR) |
| 22 | DISSECTING FORCEPS TOOTH 8" | 53 | SUTURE NEEDLE 1/2 CIRCLE ROUND BODY |
| 23 | DOYEN'S RETRACTOR LARGE SIZE 2.5" | 54 | TAILORS SCISSOR 10" |
| 24 | DOYEN'S RETRACTOR LARGE SIZE 3" | 55 | TAILORS SCISSOR 8" |
| 25 | DRESSNNG DRUM LARGE 15" x 12" | 56 | TOWEL CLIP |
| 26 | DRESSNNG DRUM MEDIUM 11" x 09" | 57 | UTERINE BALLOON TAMPONADE KIT |
| 27 | DRESSNNG DRUM SMALL 09" x 05" | 58 | UTERINE SOUND |
| 28 | EPIDURAL SET STANDARD SIZE | 59 | GOLDEN HANDLE NEEDLE HOLDER REGULAR 6" |
| 29 | EPISIOTOMY SCISSOR'S SPECIAL | 60 | GOLDEN HANDLE NEEDLE NEEDL HOLDER REGULAR 8" |
| 30 | FEMALE METAL CATHETER | 61 | HEGARS DIALATOR CANULA |
| 31 | HISTERCTOMY CLAMP | | |

| SR. NO. | SURGICAL INSTRUMENTNS & EQUIPMENTS | APPROXIMATE QUANTITY | RATE PER UNITE IN RS. | TOTAL INCLUDING GST & TRANSPORTATION AMOUNT IN RS. |
|---------|------------------------------------|----------------------|-----------------------|--|
| 1 | ALLIS FORCEPS 6" | 78 | | |
| 2 | ALLIS FORCEPS 8" | 72 | | |
| 3 | ARTERY FORCEPS CURVED 6" | 100 | | |
| 4 | ARTERY FORCEPS CURVED 8" | 61 | | |
| 5 | ARTERY FORCEPS STRAIGHT 6" | 100 | | |
| 6 | ARTERY FORCEPS STRAIGHT 8" | 90 | | |
| 7 | Babcock 6" | 40 | | |
| 8 | BABY CARRYING TRAY | 10 | | |
| 9 | BIDDER HOLDER 8" | 30 | | |
| 10 | BLADDER RETRACTOR | 19 | | |
| 11 | C- ARM RETRACTOR | 34 | | |
| 12 | C SHAPED RETRACTORS (SET OF 3) | 18 | | |
| 13 | CORD CUTTING SCISSOR 8 " | 20 | | |
| 14 | CORD CUTTING SCISSOR 6" | 20 | | |

| | | | | |
|----|--|-----|--|--|
| 15 | CUSCUS SPECULUM | 33 | | |
| 16 | DEAVER'S RETRACTOR MEDIUM SIZE 12"x 1.5" | 10 | | |
| 17 | DEAVER'S RETRACTOR MEDIUM SIZE 12"x 2" | 10 | | |
| 18 | DEAVER'S RETRACTOR SMALL SIZE 12"x1" | 30 | | |
| 19 | DISSECTING FORCEPS PLAIN 6" | 42 | | |
| 20 | DISSECTING FORCEPS PLAIN 8" | 22 | | |
| 21 | DISSECTING FORCEPS TOOTH 6" | 42 | | |
| 22 | DISSECTING FORCEPS TOOTH 8" | 38 | | |
| 23 | DOYEN'S RETRACTOR LARGE SIZE 2.5" | 16 | | |
| 24 | DOYEN'S RETRACTOR LARGE SIZE 3" | 20 | | |
| 25 | DRESSNNG DRUM LARGE 15" x 12" | 20 | | |
| 26 | DRESSNNG DRUM MEDIUM 11" x 09" | 20 | | |
| 27 | DRESSNNG DRUM SMALL 09" x 05" | 20 | | |
| 28 | EPIDURAL SET STANDARD SIZE | 15 | | |
| 29 | EPISIOTOMY SCISSOR'S SPECIAL | 50 | | |
| 30 | FEMALE METAL CATHETER | 10 | | |
| 31 | GOLDEN HANDLE NEEDLE HOLDER REGULAR 6" | 50 | | |
| 32 | GOLDEN HANDLE NEEDLE NEEDL HOLDER REGULAR 8" | 50 | | |
| 33 | HEGARS DIALATOR CANULA | 12 | | |
| 34 | HISTERCTOMY CLAMP | 12 | | |
| 35 | INSTRUMENT HANGER STANDARD SIZE | 25 | | |
| 36 | KOTCHER FORCEPS STRAIGHT 8" | 20 | | |
| 37 | MAINGOT CLAMP 8" CURVED | 20 | | |
| 38 | MAYO'S SCISSORS STRAIGHT 6.5 " | 20 | | |
| 39 | MAYO'S SCISSORS STRAIGHT 7.5 " | 20 | | |
| 40 | METZNBAUM SCISSOR 6" CURVED | 100 | | |
| 41 | MOSQUITO CU. FORCEPS 5" | 50 | | |
| 42 | MTP CANULA | 35 | | |
| 43 | MTP SET | 8 | | |
| 44 | MVA CANULA | 20 | | |
| 45 | MVA SYRINGE | 20 | | |
| 46 | NEEDLE HOLDERS 8" | 40 | | |
| 47 | OUTLET FORCEPS | 13 | | |

| | | | | |
|----|---|-----|--|--|
| 48 | PLAIN FORCEPS 6" | 40 | | |
| 49 | RIGHT ANGLE RETRACTOR 1CM BIRTH | 32 | | |
| 50 | S.S KIDNEY TRAY 10" MEDIUM SIZE | 37 | | |
| 51 | SILICON VACCUM CUP SPEACIAL MEDIUM SIZE | 11 | | |
| 52 | SIM'S SPECULUM DOUBLE ENDED LARGE NO.3 | 30 | | |
| 53 | SIM'S SPECULUM DOUBLE ENDED MEDIUM NO.2 | 30 | | |
| 54 | SUCTION CANULA YANKAUR'S | 20 | | |
| 55 | SUTURE NEEDLE 1/2 CIRCLE CUTTING (TRIANGULAR) | 44 | | |
| 56 | SUTURE NEEDLE 1/2 CIRCLE ROUND BODY | 30 | | |
| 57 | TAILORS SCISSOR 10" | 40 | | |
| 58 | TAILORS SCISSOR 8" | 40 | | |
| 59 | TOWEL CLIP | 100 | | |
| 60 | UTERINE BALLOON TAMPONADE KIT | 50 | | |
| 61 | UTERINE SOUND | 20 | | |
| 62 | HAND HOLDING FETAL DOPPLER | 8 | | |
| 63 | DELIVERY BED HYDRAULIC | 4 | | |
| 64 | LABOUR TABLE HYDRAULIC PUMP OPERATED | 5 | | |
| 65 | OT TABLE GYNACOLOGY (SEMI -AUTOMATIC | 4 | | |
| 66 | 5 PARA NON - TOUCH MULTIPARA NIBP MONITOR | 6 | | |
| 67 | LAUNDARY TROLLY | 5 | | |
| 68 | SURGICAL INSTRUMENT CABINATE | 5 | | |
| 69 | PUNCTURE PROOF CONTAINER | 20 | | |
| 70 | HUB NEEDLE CUTTER | 20 | | |
| 71 | DIGITAL WALL CLOCK | 12 | | |
| 72 | HORIZONTAL AUTOCLAVE MACHINE | 2 | | |
| 73 | PATIENT SHIFTING ROLLER | 12 | | |

सदर कोटेशनसोबत असलेल्या सर्व अटी व शर्ती मी वाचले असून मला त्या मान्य आहेत. सदर अटी शर्ती प्रमाणे सदर कोटेशनमध्ये नमुद केलेल्या दराने १२ महिने कालावधीकरीता पुरवठा करण्यास मी तयार आहे. त्यासाठी या कोटेशनवर स्वाक्षरी करित आहे.

दिनांक :- / /. कोटेशनधारकाची सही व शिक्का

